



Material use in Vestas turbines

This brochure provides an overview of the materials used in all wind turbines in Vestas' current portfolio.

Main materials used

- Steel and iron materials
- Aluminium and alloys
- Copper and alloys
- Polymer materials
- Glass / carbon composites
- Electronics / electrics
- Lubricants and fluids

By knowing how Vestas' products and materials contribute to the environmental performance of the wind plant, it is possible to make fact-based and informed decisions that will minimise overall environmental impacts. Life Cycle Assessments are used to provide detailed knowledge regarding the material composition of the wind plant.

The figures on the following pages show the typical material breakdown of Vestas' turbines.


For example, a V162-6.2 MW™ turbine is composed of around 88% metals (e.g. steel, iron, copper and aluminium), 10% polymers and composite materials, and the remainder a mixture of electronics/electrical items, lubricants and fluids, etc.

EnVentus™ Platform Turbines




V172-7.2 MW™

166m hub height and wind class IECS. Total mass: 928 tonnes*



V162-7.2 MW™


166m hub height and wind class IECS. Total mass: 894 tonnes*



* Values are based on an internal streamlined Life Cycle Assessment


V162-6.2 MW™

149m hub height and wind class IECS. Total mass: 801 tonnes*



V150-6.0 MW™

155m hub height and wind class IECS. Total mass: 773 tonnes*




* Values are based on an externally reviewed Life Cycle Assessment available on vestas.com

4 MW Platform Turbines




V163-4.5 MW™

98m hub height and wind class IEC3. Total mass: 501 tonnes*



V150-4.5 MW™

105m hub height and wind class IEC3B. Total mass: 446 tonnes**




* Values are based on an internal streamlined Life Cycle Assessment

** Values are based on an externally reviewed Life Cycle Assessment


V150-4.2 MW™

155m hub height and wind class IEC3B. Total mass: 682 tonnes *




V136-4.5 MW™

112m hub height and wind class IEC2B. Total mass: 466 tonnes *




V136-4.2 MW™

112m hub height and wind class IEC2B. Total mass: 544 tonnes *




V136-3.45 MW®

112m hub height and wind class IEC3A. Total mass: 570 tonnes *



V126-3.45 MW®


117m hub height and wind class IEC2A. Total mass: 530 tonnes *



* Values are based on an externally reviewed Life Cycle Assessment available on [vestas.com](https://www.vestas.com)


V117-4.2 MW™

91,5m hub height and wind class IEC1B. Total mass: 425 tonnes *



V117-3.45 MW®

91,5m hub height and wind class IEC1B. Total mass: 436 tonnes *




* Values are based on an externally reviewed Life Cycle Assessment available on [vestas.com](https://www.vestas.com)

2 MW Platform Turbines




V120-2.2 MW™

122m hub height and wind class IEC3. Total mass: 317 tonnes*



V110-2.0 MW™

80m hub height and wind class IEC3A. Total mass: 248 tonnes*




*Values are based on an externally reviewed Life Cycle Assessment available on vestas.com

Offshore Platform Turbines



V236-15 MW™

143m hub height and wind class IECS. Total mass: 1622 tonnes*



*Values are based on an externally reviewed Life Cycle Assessment available on [vestas.com](https://www.vestas.com)

Vestas Wind Systems A/S

Hedeager 42 . 8200 Aarhus N . Denmark

Tel: +45 9730 0000 . Fax: +45 9730 0001

vestas@vestas.com . vestas.com

© 2024 Vestas Wind Systems A/S. All rights reserved.

This document was created by Vestas Wind Systems A/S on behalf of the Vestas Group and contains copyrighted material, trademarks and other proprietary information. This document or parts thereof may not be reproduced, altered or copied in any form or by any means without the prior written permission of Vestas Wind Systems A/S. All specifications are for information only and are subject to change without notice. Vestas Wind Systems A/S does not make any representations or extend any warranties, expressed or implied, as to the adequacy or accuracy of this information. This document may exist in multiple language versions. In case of inconsistencies between language versions the English version shall prevail. Certain technical options, services and wind turbine models may not be available in all locations/countries.